



Multiple choice Test

December 5th, 2019



Points: 30 Time : 4 Hours



EXAMINATION RULES

- 1. You are **NOT** allowed to bring any personal items into the examination room, except for the water bottle, personal medicine or approved personal medical equipment.
- 2. You must sit at your designated desk.
- 3. Check the stationery items (pen, calculator, and scrap paper) provided by the organizers.
- 4. Do **NOT** start answering the questions before the "START" signal.
- 5. You are **NOT** allowed to leave the examination room during the examination except in an emergency in which case you will be accompanied by a supervisor/volunteer/invigilator.
- 6. If you need to visit the bathroom, please raise your hand.
- 7. Do **NOT** disturb other competitors. If you need any assistance, raise your hand and wait for a supervisor to come.
- 8. Do **NOT** discuss the examination questions. You must stay at your desk until the end of the examination time, even if you have finished the exam.
- 9. At the end of the examination time you will hear the "STOP" signal. Do NOT write anything more on the answer sheet after this stop signal. Arrange the exam, answer sheets, and the stationary items (pen, calculator, and scrap paper) neatly on your desk. <u>Do not</u> leave the room before all the answer sheets have been collected.



EXAM INSTRUCTIONS



Time: 4 Hours

- 1. After the "START" signal, you will have 4 hours to complete the exam.
- 2. ONLY use the pen and pencil provided by the organizers.
- 3. Check that your name, code and country are on your answer sheet and sign your answer sheet. Raise your hand, if you do not have the answer sheet.
- 4. Read each problem carefully and indicate your answer on the answer sheet using a cross (as shown below). There is only one correct answer for each question.

Example: (A) is your answer.

1	\times	В	С	D
---	----------	---	---	---

5. If you want to change your answer, circle your first answer and then indicate your new answer using a cross (as shown below). You can only make ONE correction per question. More than one correction you will get no mark.

Example: (A) is your first answer and (D) is your final answer.

1 (В	С	X
-----	---	---	---

- 6. Only the answer sheet will be evaluated. Before writing your answers on the answer sheet, use the scrap paper provided.
- 7. Point rules

Correct answer : + 1 point

Wrong answer : -0.25 point

No answer : no point

- 8. The total number of questions is 30.
- 9. Check that you have a complete set of test pages (**30 questions 22 pages**) after the "START" signal is given. Raise your hand, if you find any missing sheets.
- 10. Useful information for answering the questions is provided on pages 4 and 5.



Time: 4 Hours



GENERAL INFORMATION

constant					
Acceleration due to gravity	$g = 9.81 \text{ m/s}^2$				
Universal gas constant	$R = 8.314 \frac{J}{\text{mol} \cdot K}$				
	$R = 0.08206 L \cdot atm/mol \cdot K$				
Refractive index of air	n = 1				
Avogadro's constant	$N_A = 6.022 \times 10^{23} \text{ mol}^{-1}$				
Speed of light	$c = 2.998 \times 10^8 \text{ m/s}$				
Planck's constant	$h = 6.626 \times 10^{-34} \text{J} \cdot \text{s}$				
Specific heat capacity of water	$c_w = 4.18 \text{ kJ/kg} \cdot ^{\circ}\text{C}$				



Time: 4 Hours



F 5	4,0026 Neon	20.180 18 Ar argon 39.948	36 Krypton	83.798(2)	Xe xenon	131.29	86 Rn radon	Og oganesson
AD .	9 F	18.988 17 Chlorine 38.45 [35.446, 35.457]	35 Br bromine	[79.901, 79.907]	53 iodine	126.90	85 At astatine	TS TS tennessine
	16 Oxygen	116.999, 16.000] 16 Sulfur 32.09	Se selenium	78.971(8)	52 Te tellurium	127.60(3)	84 Po polonium	116 Lv Ivernorium
	7 N nitrogen	15 P phosphorus 30.974	As arsenic	74.922	Sh antimony	121.76	83 Bi bismuth	Mc moscovium
	oanbon	112.009, 12.012] 14 Silicon 28.084, 28.086]	32 Ge germanium	72.630(8)	Sn In	118.71	82 Pb lead	114 FI flerovium
,	13 boron	13 AI aluminium 26.982	31 Ga gallium	69.723	49 In indium	114.82	81 T thallium 204.38	N Inhonium
	м	12	Name of the same o	65.38(2)	48 Cd	112.41	Hg mercury	Ę
		F	Cu copper	63.546(3)	Ag silver	107.87	Au gold	Rg roentgenium
)		0	28 nickel	58.693	46 Pd palladium	106.42	78 Pt platinum	Em
		o.	27 Sobalt	58,933	Rh modium	102.91	77	109 Mt
		00	26 Fe iron	55.845(2)	Ru ruthenium	101.07(2)	76 OS osmium	108 Hs hassium
		۲	25 Mn manganese	54.938	Tc technetium		Re menium	Bh bohrium
		9	Cr chromium	51.996	Mo molybdenum	95.95	74 W tungsten	Sg seaborgium
	- e	agnition of the second of the	23 V	50.942	Nb niobium	92.906	73 Ta tantalum	105 Db dubnium
	key. atomic number Symbol	conventions about weight standard showing weight	22 Ti	47.867	40 Zr zirconium	91.224(2)	72 Hf hafnium	104 Rf rutherfordium
	220		Sc scandium	44.956	39 Y	88.906	57-71 lanthanoids	89-103 actinoids
	2 4 Be beryllium	12 Mg magnesium 24.205 [24.304, 24.307]	Caldium	40.078(4)	38 Sr strontium	87.62	56 Ba barium	Ra radum
=	11.0078, 1.0082]	11 Na sodium 22:990	19 X potassium	39.088	37 Rb	85,468	CS Csesium	87 Fr francium

1	
Lu	103
lutetium	Lr
174.97	lawrencium
Yb ytterbium	102 No nobelium
Fm	101
Tm	Md
thullum	mendelevium
68	100
Er	Fm
erblum	fermium
Ho Holmium 164.93	99 Es
Dy dysprosium	98 Cf californium
Tb tentium	97 BK berkelium
Gd gadolinium 157.25(3)	Cm curium
63	95
Eu	Am
europium	ameridium
Sm samarium	94 Pu plutonium
Pm promethium	93 Np neptunium
60	92
Nd	U
neodymium	uranium
144.24	238.03
Pr	91
Pr	Pa
praseodymium	protactinium
140.91	231.04
58	90
Ce	Th
cerium	thorium
La	Ac
lanthanum	actinium



International Union Pure and Applied Che



Time: 4 Hours

<u>DO NOT</u> turn to next page Before the "START SIGNAL" Otherwise, you will receive a penalty.



Time: 4 Hours



1. During a Safari trip in Qatar, a car starts from rest, moving eastward. If the net force acting on the car is directly proportional to t², where t denotes time. What would the car's kinetic energy be proportional to?



B. t³

C. t^4

D. t⁶

2. A disk-shaped cork of diameter "d" is placed in water. Paper clips are added on the top of the cork. We repeat this experiment replacing water with cooking oil. Which of the following relationships expresses the maximum number of paper clips that can be added in the two situations before the cork fully submerges under the liquid?

["n" refers to the number of clips, " ρ " refers to density, "w" refers to water and "o" refers to oil, and 'c' refers to cork].

A.
$$\frac{n_w}{n_o} = \frac{(\rho_o + \rho_c)}{(\rho_c - \rho_w)}$$

B.
$$\frac{n_w}{n_o} = \frac{(\rho_o - \rho_c)}{(\rho_c - \rho_w)}$$

C.
$$\frac{n_w}{n_0} = \frac{(\rho_w - \rho_c)}{(\rho_0 - \rho_c)}$$

D.
$$\frac{n_w}{n_o} = \frac{(\rho_c - \rho_w)}{(\rho_o - \rho_c)}$$

3. A flask containing photosynthetic green algae and a control flask containing no algae are both placed under a light source, which are set to switch ON for 12 hours and then OFF for 12 hours. The dissolved oxygen concentrations in both flasks are monitored at the end of each 12 hours period. What will be the relative dissolved oxygen concentration in the flask with algae compared to the control flask?

The dissolved oxygen concentration in the flask with algae will...


- A. always be higher
- B. always be lower
- C. be higher in the light, but the same in the dark
- D. be higher in the light but lower in the dark



Time: 4 Hours



4. All kinds of life on earth require water, which cycles through our ecosystem in three states: solid, liquid, and gas. The relationship that these phases have with both temperature and pressure in a sealed container are best represented in the phase diagram below.



Consider the following statements and identify the correct ones:

- i. The bold line that separates any two regions shows that two phases of water co-exist in equilibrium.
- ii. A decrease in pressure lowers the melting point and raises the boiling point of water.
- iii. At a temperature of 0.01 °C and a pressure 0.06 atm ice, liquid water and water vapour can co-exist in equilibrium.
- iv. At 100 °C the vapour pressure is higher than the atmospheric pressure at sea level.
- A. i and ii only
- B. i and iii only
- C. iii and iv only
- D. ii and iv only




Time: 4 Hours



5. For the following <u>unbalanced</u> reaction equations below, determine how many H₂ molecules are required to produce 12 molecules of water, assuming a 100% yield for the first reaction.

$$H_{2(g)} + N_{2(g)} \longrightarrow NH_{3(g)}$$
 $NH_{3(g)} + CH_3 Cl_{(g)} + NaOH_{(aq)} \longrightarrow NaCl_{(s)} + CH_3 NH_{2(g)} + H_2O_{(l)}$

- A. 18 molecules
- B. 12 molecules
- C. 24 molecules
- D. 4 molecules
- 6. The results below show the effects that fragmentation of forests has on trees. In Study A, the percentage of dead and dying trees of different sizes was estimated in the interior and at the edges of the forest fragments. The percentage increase of dead and dying trees at the edge was compared to that at the interior for trees of varying sizes. In Study B, the number of new tree seedlings was measured in a continuous forest and in forest fragments of areas 100, 10 and 1 hectare (1 hectare = 10,000 square meters). The results are shown below.



Consider the following statements regarding the above study.

- i. Conditions at the edge are more suitable for survival of trees.
- ii. The wider trees have survived better in this study.
- iii. Trees in the interior may survive better as they are less susceptible to wind damage.
- iv. Trees at the edge may survive better as they are less susceptible to wind damage.
- v. The density of seedlings of the 100-hectare fragment is up to 25% more than that of the 1-hectare fragment.
- vi. Conditions at the edge are more suitable for seedlings.



Time: 4 Hours

Which of the above statements are likely to be correct?

- A. (ii), (iii) and (iv)
- B. (i), (iii) and (iv)
- C. (ii), (iii) and (vi)
- D. (ii), (iii) and (v)
- 7. Black fur in mice (B) is dominant to brown fur (b). Long tails (T) are dominant to short tails (t). What fraction of the progeny of crosses ($BbTt \times BBtt$) will be expected to have black fur and short tails?
 - A. 1/16.
 - B. 3/16.
 - C. 3/8.
 - D. 1/2.
- 8. Your blood alternates between your body's pulmonary circuit and systemic circuit through various vessels and chambers. Below is a list of vessels and structures that are associated with your heart. What is the correct order for the flow of blood entering from the systemic circulation?
 - 1. Right atrium
 - 2. Left atrium
 - 3. Right ventricle
 - 4. Left ventricle
 - 5. Venae cava
 - 6. Aorta
 - 7. Pulmonary trunk
 - 8. Pulmonary veins
 - A. 1, 7, 3, 8, 2, 4, 6, 5
 - B. 1, 2, 7, 8, 3, 4, 6, 5
 - C. 5, 1, 3, 8, 7, 2, 4, 6
 - D. 5, 1, 3, 7, 8, 2, 4, 6




Time: 4 Hours



9. In a physics lab, the teacher decided to test the students' ability to set up electrical circuits and asked them to set up the circuit shown in the figure. Each student was given a combination of 3 resistors of (2.00 Ω , 4.00 Ω and 6.00 Ω) and 2 ideal batteries of (8.00 V and 12.0 V).

The teacher later wanted to assess the students' work, but she did not have enough time to examine each circuit connection. Therefore, she decided to use a voltmeter to measure the voltage between points \underline{c} and \underline{d} for each student's circuit. What would be the voltmeter reading in case of correct connection?



- A. 1.36 V
- B. 1.82 V
- C. 3.00 V
- D. 4.80 V

10. In which direction does carbon dioxide move during internal respiration?


- A. From the tissue cells into the blood
- B. From the blood into the lungs
- C. From the lungs into the blood
- D. From the blood into the tissue cells



Time: 4 Hours



11. Consider the following pedigree charts to determine the type of inheritance in (I) and (II)?




- A. The traits are X-linked dominant in (I) and X-linked recessive (II)
- B. The traits are X-linked recessive in (I) and X-linked dominant (II)
- C. Both traits are X-linked recessive
- D. Both traits are X-linked dominant.

12. Which of the following combinations of quantum numbers is not possible for an electron in a ground-state of Ag+ ion according to the table below?

n	l	ml	ms

- A. 1 , 0 , 0 , $\frac{1}{2}$ B. 3 , 2 , -1 , $-\frac{1}{2}$ C. 5 , 0 , 0 , $\frac{1}{2}$ D. 4 ,2 , 2 , $-\frac{1}{2}$

- 13. A beam of light in air hits a block of three layers of different transparent materials stacked on top of each other as shown in the figure. The thickness of each layer is 10.0 cm. The index of refraction of the layers are: $n_1 = 2.40$, $n_2 = 2.00$ and $n_3 = 1.50$. If the incident angle of the light is 75.0°, find how far laterally from the vertical line marked Y will the beam of light exit on the X-axis.
 - A. 30.3 cm
 - B. 23.4 cm
 - C. 18.3 cm
 - D. 9.02 cm





Time: 4 Hours



14. Photography has been one of the amazing gifts of science and technology that has added considerable enjoyment to our life. In traditional film photography, chlorine chemistry plays an important role in providing the light-sensitive compound, silver(I) chloride. The enthalpy of formation of solid silver(I) chloride is given by the equation below:

$$Ag(s) + \frac{1}{2}CI_{2(g)} \longrightarrow AgCI_{(s)} \Delta H_{F}^{\circ} = -127 \text{ kJ/mol}$$

Refer to the following tabulated information to answer the question below:

Process	∆H ^o rxn (kJ/mol)
$Ag_{(s)} \rightarrow Ag_{(g)}$	P
$Ag(g) \rightarrow Ag^{\dagger}(g) + e^{-}$	Q
$Cl_{2(g)} \rightarrow 2Cl_{(g)}$	R
$Cl_{(g)} + e^- \rightarrow Cl^{(g)}$	S
$Ag^{+}_{(g)} + Cl^{-}_{(g)} \rightarrow AgCl_{(s)}$	T

Which of the following expressions is equivalent to ΔH^0 for the following reaction?

$$Cl_{2(g)} + 2e^{-} \rightarrow 2Cl^{-}(g)$$

- A. R + S
- B. R S
- C. R + 2S
- D. R/2 S
- 15. One of the petrochemicals produced by the Qatar Fuel Additives Company (QAFAC) is methanol (CH₃OH). Within the petrochemical industry, methanol is used as a raw material for the manufacture of various solvents. It is also a clean source of energy, as well as a raw material for everyday items we use like adhesives, plastics, LCD screens, furniture, carpeting, methanol fuel cells, and in the pharmaceuticals industry.

The enthalpy of combustion of liquid methanol is $\Delta H^o = -726.4$ kJ/mol. Use the combustion reaction of liquid methanol along with the following information to calculate standard enthalpy of formation of methanol (CH₃OH).

C (graphite) +
$$O_2(g)$$
 \longrightarrow $O_2(g)$ $\triangle H^o = -393.5 \text{ kJ/mol}$
 $O_2(g) + \frac{1}{2}O_2(g) \longrightarrow O_2(g)$ $\triangle H^o = -285.8 \text{ kJ/mol}$

- A. -1691.5 kJ/mol
- B. -238.7 kJ/mol
- C. 296.4 kJ/mol
- D. 47.1 kJ/mol




Time: 4 Hours



16. A 60.0 mL sample of a monoprotic acid, HA, of unknown molarity was titrated using 0.01 M KOH solution. The pH of the titration was monitored as a function of the volume of the base as shown below:

Which of the following species will have the highest concentration at point "F" and at which point in the titration curve will the [A-] be roughly close to twice that of [HA] to correctly fill the table below respectively?

	At point F	$[A^{-}]=2[HA]$
a.		



- A. HA , H
- $B. A^{-}, G$
- C. H_3O^+ , F
- D. OH-, E
- 17. Arabic coffee, or "Qahwah" is a very important drink in the Gulf region and in the Middle East generally. It refers to a version of brewed coffee beans that contains spices like cardamom and saffron. Qahwah is usually consumed without sugar. Finjan is a small delicate cup (typically of 25 mL volume) that is traditionally used to serve this Arabic coffee. During celebrations and gatherings, half-filled Finjans of Arabic coffee are served several times to guests. An average Finjan contains about 4.10 mg of caffeine, C₈H₁₀N₄O₂.

How many molecules of caffeine are there in a half-filled Finjan?

- A. 3.07×10^{24} molecules
- B. 2.52×10^{19} molecules
- C. 1.27×10^{19} molecules
- D. 6.32×10^{18} molecules



Arabic Coffee pot and Finjan cup)



Time: 4 Hours



18. The Museum of Islamic Art is one of the most important cultural achievements of the State of Qatar. One of its many collections is a golden enameled falcon statue related to the Mughal period, India, 17th century. It has a mass of 152 grams and is made of gold and copper alloy. Assuming it were to be heated to 96.72 °C and then dropped into 13.40 g water at 20.00 °C, the temperature of the water after thermal equilibrium was reached at 46.97 °C. What is the percent by mass of copper in the golden enameled falcon assuming no heat was lost?




http://www.mia.org.qa/en/visitin g/mia-tours/family-tour-10

(specific heat of gold = 0.129 J/g °C, specific heat of copper = 0.389 J/g °C, specific heat of water = 4.184 J/g °C)

- A. 27.291%
- B. 35.274%
- C. 53.748%
- D. 72.673%
- 19. In an open U-shaped tube containing two liquids, A and B, in equilibrium (the two liquids do not mix), what is the ratio between the densities of the two



- A. 1/2
- B. 2/3
- C. 3/4
- D. 2/1







Time: 4 Hours


20. What is the maximum concentration of Mg²⁺ ion that remains dissolved in a solution that contains 0.7147 M NH₃ and 0.2073 M NH₄Cl?

(K_{sp} for Mg(OH)₂ is 1.2×10^{-11} ; K_b for NH₃ is 1.77×10^{-5}).

- A. $1.9 \times 10^{-7} \text{ M}$
- B. $3.2 \times 10^{-3} \text{ M}$
- C. $1.3 \times 10^{-3} \text{ M}$
- D. $6.4 \times 10^{-6} \text{ M}$
- <u>21.</u> Decomposition is an important process for nutrient recycling and ecosystem functionality. Nitrogen fixing bacteria form an important part of the process. Choose the correct statement from the following.

Nitrogen fixing bacteria:


- A. Decompose protein to ammonia.
- B. Use atmospheric nitrogen to form nitrates.
- C. Use atmospheric nitrogen to form ammonium.
- D. Change nitrates to N₂ that is then released into the atmosphere.
- <u>22.</u> Based on the energy diagram, which chemical processes shown below are exothermic bearing in mind that the reaction starts from the left to the right?



Reaction coordinate


- A. $K \rightarrow L$; $M \rightarrow N$; $K \rightarrow M$; $L \rightarrow M$
- B. $L\rightarrow M$; $L\rightarrow N$; $K\rightarrow L$; $K\rightarrow M$
- C. $K\rightarrow L$; $M\rightarrow N$; $K\rightarrow N$; $L\rightarrow N$
- D. $K \rightarrow M$; $L \rightarrow M$; $K \rightarrow N$; $M \rightarrow N$







23. A metallic wire of diameter π mm was made into a circular loop of radius 4π cm and was connected to an electric circuit. The potential difference between terminals (c, d) and the current passing in the circuit are shown in the figure. What do you expect the conductivity of the wire to be? Consider π to be 3.14.




A.
$$1.01 \times 10^3 \ \Omega^{-1} \text{m}^{-1}$$

B.
$$2.03 \times 10^3 \Omega^{-1} \text{m}^{-1}$$

C.
$$4.06 \times 10^3 \ \Omega^{-1} \text{m}^{-1}$$


D.
$$8.11 \times 10^3 \,\Omega^{-1} \text{m}^{-1}$$

24. A concave mirror of focal length $f=0.50\,\text{m}$ is placed on a base as shown in the figure. A ball of mass (m) falls from a height of 1.2 m vertically along the principal axis towards the mirror. If the ball loses 16% of its energy after each collision with the mirror, what is the distance between the ball and the image formed by the mirror when the ball reaches its maximum height after the second collision? Assume that the falling ball does not break the mirror!



- A. 0.37 m
- B. 0.55 m
- C. 0.66 m
- D. 0.75 m
- $\underline{25.}$ A small, 4.00 g plastic ball of electric charge $+3.00~\mu\text{C}$ is suspended by a 20.0 cm long string in a uniform electric field as shown in the figure.

If the ball is in equilibrium when the string makes an angle θ with the vertical, what is the linear displacement of the ball between the position at which θ equals zero and the equilibrium position?



- A. 1.80 cm
- B. 2.02 cm
- C. 3.03 cm
- D. 4.20 cm




Time: 4 Hours



26. A block of density 2700 kg m $^{-3}$ is attached to a spring with spring constant k. The block is immersed in water of density 1000 kg m $^{-3}$ as shown in the figure.

Calculate the ratio of the extension of the spring in water to that in air.

- A. 5/9
- B. 17/27
- C. 19/33
- D. 233/457



- 27. A scientist is growing corn in a greenhouse, aiming to achieve mass production. She is concerned that her greenhouse is getting too hot from too much light. She seeks to shade the greenhouse with coloured translucent plastic sheets. What colour of sheets should she choose in order to reduce overall light energy while still maintaining maximum plant growth?
 - A. Green.
 - B. Blue.
 - C. Orange.
 - D. Any colour will do.
- <u>28.</u> In an experiment to study catalase enzyme activity, a team of students conducted the following experiment:

They added 1 cm³ of hydrogen peroxide to a test tube, followed by 1 cm³ of catalase solution. Bubbles of oxygen were produced and caused the content in the test tube to rise up, forming a foam. The students measured the height of the foam. They recorded their data in Table 1, as shown below.

The equation for the reaction is:



Time: 4 Hours

Table-1. Height of foam versus temperature

Temperature	Height of foam (cm)						
°C	Test 1						
20	3.3	0.2	3.1	2.2			
30	5.0	5.2	5.3	5.1			
40	3.9	4.3	4.2	4.1			
50	2.2	2.1	1.9	2.0			
60	0.0	0.0	0.0	0.0			

On the basis of data shown in Table 1, the students deduced different conclusions, as below

- i. The rate of reaction decreases up to 40° C
- ii. The rate of reaction increases up to 30° C
- iii. The rate of reaction increases up to 40° C
- iv. Catalase is a protein and is observed to be fully denatured at 60°C
- v. If the experiment is repeated, data at 35° C should be obtained to better investigate the temperature with optimum catalase activity.

Which of the choices given below is (are) considered correct by you?

- A. I, II, and III.
- B. V only.
- C. II, IV, and V.
- D. IV only.




Points: 30 Time : 4 Hours



<u>29.</u> The illustration below shows a respirometer, a device used to measure the rate of respiration in a living organism. It detects oxygen uptake by manometry. Soda lime is a chemical that absorbs carbon dioxide.

Respirometers 1, 2, 3 and 4 are set up as shown below. The levels of the liquid in the 5cm³ reservoir are noted after 30 minutes.



paper 4, 9700/4, core, May/June session 2002 of Cambridge International Examinations, GCE, Advanced level biology.

Using the information provided in the figure, predict what will happen to the level of liquid in the $5~\rm cm^3$ syringe reservoir.

A. 1: falls	2: rises	3: falls	4: rises
B. 1: stays the same	2: falls	3: stays the same	4: falls
C. 1: stays the same	2: falls	3: stays the same	4: rises
D. 1: falls	2: rises	3: stays the same	4: falls



Time: 4 Hours



30. During Qatar marathon 2019, an ambulance with a speed of 30.0 m/s and siren frequency of 5.00×10^2 Hz passes through an athlete running with a speed of 4.00 m/s as shown in the figure. What would be the change in the frequency perceived by the runner as the ambulance passes through him. The speed of sound in air 343 m/s.



- A. $-0.76 \times 10^2 \text{ Hz}$
- B. $0.99 \times 10^2 \,\text{Hz}$
- C. $-0.89 \times 10^2 \,\text{Hz}$
- D. $0.85 \times 10^{2} \, \text{Hz}$



Time: 4 Hours

Name	Code	
Country	Signature	

	Answers						Ansv	wers	
1	Α	В	С	D	16	A	В	С	D
2	Α	В	С	D	17	Α	В	С	D
3	A	В	С	D	18	A	В	С	D
4	A	В	С	D	19	A	В	С	D
5	Α	В	С	D	20	Α	В	С	D
6	A	В	С	D	21	A	В	С	D
7	Α	В	С	D	22	Α	В	С	D
8	Α	В	С	D	23	A	В	С	D
9	Α	В	С	D	24	A	В	С	D
10	Α	В	С	D	25	A	В	С	D
11	Α	В	С	D	26	Α	В	С	D
12	Α	В	С	D	27	Α	В	С	D
13	A	В	С	D	28	A	В	С	D
14	A	В	С	D	29	A	В	С	D
15	A	В	С	D	30	A	В	С	D

------ **DO NOT** WRITE BELOW ------

Correct answers	Wrong answers	
No answers	Total point	